

## 25 September 2018

## **Doctors welcome Gladstone fluoride debate**

AMA Queensland is heartened by reports Gladstone Regional Council is to re-evaluate fluoridating its water supplies.

Council voted in July 2016 to cease fluoridation.

"It's tremendous to see this council reconsidering adopting one of the greatest public health achievements of the  $20^{th}$  century," AMA Queensland Vice President Dr Michael Cleary said.

"Only last year, the National Health and Medical Research Council reiterated in a Public Statement that 'community water fluoridation as a safe, effective and ethical way to help reduce tooth decay' and AMA Queensland heartily concurs.

"I would welcome any opportunity to work with Gladstone councillors and to ensure their community once again receives the irrefutable benefits of fluoridated water as soon as possible."

#### **ENDS**

https://www.nhmrc.gov.au/ files nhmrc/file/publications/17667 nhmrc - public statement-web.pdf



## 25 September 2018

# **Doctors welcome Southern Downs fluoride debate**

AMA Queensland is heartened by reports Southern Downs Regional Council is to reevaluate fluoridating its water supplies.

Council voted in November 2014 to cease fluoridation, despite less than one-third of fluoride survey papers being returned.

"It's tremendous to see this council reconsidering adopting one of the greatest public health achievements of the 20<sup>th</sup> century," AMA Queensland Vice President Dr Michael Cleary said.

"Only last year, the National Health and Medical Research Council reiterated in a Public Statement that 'community water fluoridation as a safe, effective and ethical way to help reduce tooth decay' and AMA Queensland heartily concurs.

"I would welcome any opportunity to work with Southern Downs councillors and to ensure Granite Belt communities once again receive the irrefutable benefits of fluoridated water as soon as possible."

#### **ENDS**

https://www.nhmrc.gov.au/ files nhmrc/file/publications/17667 nhmrc - public statement-web.pdf